

DrapSound & BassYourLife introduce:

ICONIC BASS AMP PACK VOL.1



ICONIC BASS AMP PACK

VOL.1

**WELCOME AND THANK YOU FOR PURCHASING OUR FIRST IMPULSE
RESPONSE PACK DEDICATED TO THE BASS AMP & CABINET THAT MADE
HISTORY!**

**IR ARE 2048 SAMPLES, 44100 KHZ, 24BIT AND CAN BE EASILY USED ON
ALL SOFTWARE AND HARDWARE THAT ACCEPT EXTERNAL IR**

**RECORDING GEAR
BLUE, AKG AND TBONE MICROPHONES
RME AND UNIVERSAL AUDIO INTERFACE
APPLE MACBOOK PRO
LOGIC PRO X**

**HERE IS A BRIEF OVERVIEW OF THE FABULOUS AMPS WE HAVE CHOSEN
FOR YOU AND ENJOY!**

AGUILAR DB761



The DB 751 combines the legendary tube-driven tone of the DB 750 with greater EQ control. A perfect combination of raw power and excellent tone, the DB 751 continues the legacy set by the world famous DB® 750. Delivering 975 Watts at 2 ohms and 750 Watts at 4 ohms, this amp has the headroom you need to play any size venue

DB 751 FEATURES

Self-Diagnostic Protection Circuit and Thermal Overload Protection Circuit (both with LED indicators)

Power Output: 975 watts @ 2 ohms, 750 watts @ 4 ohms, 400 watts @ 8 ohms

Preamp Section: Three 12AX7's

Power Section: 12 complimentary lateral MOSFETs

Transformer: Custom Aguilar toroidal power transformer

EQ Section: passive tone stack with active midrange element

Bass: +12 / -12 @ 40Hz

Midrange: +12 / -12 @ 750Hz

Treble: +12 / -7 @ 4kHz

Deep Switch: Adds 5 dB of broadband boost at 30 Hz

Bright Switch: Adds 5 dB of broadband boost at 5-7 kHz

Effects Loop: Send is push/pull for line or instrument level; Return is push/pull for parallel or series operation

Inputs: One 1/4" input jack with an active/passive switch

Outputs: Two Neutrik Speakon speaker outputs, Jensen XLR balanced output (with pre/post EQ and ground lift switch) and Tuner out.

Cooling: Two high-quality whisper fans with thermal speed control

Dimensions: 17" W x 14" D x 5.25" H

Rack Size: Three Spaces, Includes detachable rack ears

Weight: 42 lbs

DB 410 4x10 Cabinet

Power Handling: 700 watts RMS

Frequency Response: 40 Hz – 16 kHz

Sensitivity: 101 dB 1W 1M

Phenolic tweeter with integral phase plug

Custom crossover with variable tweeter control

Impedance: 4 or 8 ohms

Dimensions: 24 3/4" H, 24 1/2" W, 17 1/2" D

Weight: 98 lbs

SWR BASS 350 REDFACE



This is the famous Redface SWR Bass 350, a true boutique bass amp from 1990's. These early redfaced models have USA handbuilt quality and are highly sought after today for their organic tone, sweeter than most modern bass rigs.

This amp has the classic SWR tone. It is at home on the stage or in the studio. It is one of the few heads today that is safe to run at 2ohms.

SWR 350 Features

- SWR Bass 350 hybrid bass amp head
- 12AX7 tube gain stage preamp with solid stage power section.
- 350w RMS @ 4 ohms, 450w RMS @ 2 ohms
- Dual speaker outs, effects loop, and tuner out
- Active / Passive inputs

Bigfoot 2x12

2x12 + Tweeter Speaker Enclosure This light weight enclosure featured high power capabilities, singing mids and earth-shaking lows. Power Handling Capacity: 500 Watts RMS Impedance: 4 Ohms Frequency Response & SPL: 95 dB SPL @ 1W1M (-3db @ 40Hz and 15KHz) Speaker Complement: (2)12" Bag End drivers, (1) Le Son ferro-electric tweeter Porting: Front Tube Ports Size: 23 3/8"W x 23 3/8"H x 18.5"D Weight: 65 lbs

TRACE ELLIOT 7215




The Trace Elliot 7215 is a compact and reasonably lightweight 1 x 15" combo amp with **300 watts of power**. The 7215 uses Trace's GP-7 preamp to give excellent control with a clear user interface. Other features include a Pre/Post EQ balanced DI Out and a Dual Band Compressor.

Trace Elliot 7215 Features

1 x 15". Extension speaker output impedance: 8 ohms. Dimensions: H 610mm (24.0in) / W 610mm (24.0in) / D 335mm (13.2in). Weight: 34Kg (75 lbs)

AMPEG SVT-3 PRO



There's a reason this amp is a best seller—it delivers the goods! With up to 450 watts and the sweet sound of tubes, the SVT-3PRO is the top choice of rockers and funkmeisters around the globe.

It's all about tone. The SVT-3PRO's Frequency control allows you to select the center frequency for the Midrange control, giving you a choice of five distinct "voices" for the Midrange. The center frequencies are 220Hz, 450Hz, 800Hz, 1.6kHz and 3kHz. And if that's not enough, you can use the 9-Band Graphic EQ to custom tailor your sound even more. Or use the EQ to set up a footswitchable "second channel" for your show-stopping bass solo.

Ampeg SVT-3 PRO Features

Power: 450 Watt at 4 Ohm and 275 Watt at 8 Ohm

Tube Pre-Amp with 3 x 12AX7

Driver tubes 1 x 12AX7 and 1 x 12AU7

3-Band EQ and Graphic 9-Band EQ

Mid-Tone-Control with 5 Positions

Ultra Low and High Boost

Adjustable DI output with ground lift switch

FX loop

Preamp Output and Power Amp Input

Format: 19" / 2 U

Dimensions (W x H x D): 483 x 89 x 394 mm

Ampeg Classic 4x10 Bass Cabinet

Equipped with: 4 x 10" speakers and 1 x 1" horn (adjustable)

Power 500 W into 8 ohms

Frequency response: 60-18000 Hz

Lowest cut-off frequency: 43 Hz

Sensitivity: 96 dB

Maximum sound pressure level: 122 dB

Crossover frequency: 4 kHz

Connections: 2x Jack and 2x Speaker Twist Dimensions: 61 x 63.5 x 41 cm Weight: 41.5 kg

GALLIEN KRUEGER MB150S-112 III



The Gallien Krueger is a 150W RMS combo with a sturdy 12 "speaker and a host of professional features in a sturdy, all-metal cabinet, weighing only 11.8kg. A must-have for the double bass, given its amazing portability. compared to the sound pressure produced.Perhaps the most famous GK amp

Gallien Krueger MB150S-112 III Features

Solid state bass combo.

Speaker 12 inch GK Paragon.

Aluminium chassis.

4 band EQ.

Adjustable limiter.

Lo-cut switch and Hi-Boost and Contour filters.

Power 150W RMS.

Impedance min 4 Ohm, internal speaker has 8 Ohm.

External speaker output for 8 Ohm cabinet.

Effects Loop.

XLR DI output with ground lift switch.

Dimensions: 38 x 35 x 22 [cm].

Weight 11 [kg]